



Health and Safety Policy

PROCEDURES AND GUIDANCE

Date approved: July 2016

Review date: July 2017

Contents

| | |
|---|----|
| Introduction | 5 |
| Health and Safety Policy | 6 |
| General Statement of Intent..... | 6 |
| Organisation..... | 7 |
| Responsibilities of the Trust Board | 7 |
| Responsibilities of the Local Governing Body..... | 7 |
| Responsibilities of the Head Teacher..... | 7 |
| Responsibilities of all Senior Managers | 8 |
| Responsibilities of the Site Manager/Caretaker | 8 |
| Responsibilities of all Employees | 9 |
| Arrangements | 10 |
| Health and Safety Representatives..... | 10 |
| Health and Safety Committee..... | 10 |
| Reporting of Accidents/Incidents/Near Miss..... | 11 |
| Clarification of definitions..... | 11 |
| Prevent Future Incidents..... | 12 |
| Accident/Incident/Near Miss Report form | 12 |
| What needs to be reported?..... | 12 |
| Reportable specified injuries | 13 |
| Physical violence | 13 |
| Reportable occupational diseases | 13 |
| Incidents to pupils and other people who are not at work | 14 |
| Dangerous occurrences | 14 |
| Who should report and who to report to | 14 |
| Reporting requirements of other regulators | 15 |
| Electrical Safety..... | 15 |
| a) Competent Persons to undertake maintenance or repair of electrical installations and portable appliance testing (PAT)..... | 15 |
| a) Risk Assessment..... | 16 |
| c) Visual inspections and tests | 16 |
| d) Portable Appliance Test (PAT) | 16 |
| e) Records of PAT..... | 16 |

| | |
|--|----|
| f) Damaged or faulty appliances | 16 |
| g) Fixed Electrical installations | 17 |
| h) Record of fixed wire tests | 17 |
| i) Preventing accidents with electricity | 17 |
| First Aid | 17 |
| a) Assessment of first-aid needs | 17 |
| b) Points to consider/impact on first-aid needs include:..... | 18 |
| c) Kent Catholic Schools' Partnership defines that the minimum first-aid provision on any school site is: | 18 |
| d) What should be put in the first-aid box? | 18 |
| e) First aiders - Training and qualifications | 18 |
| f) Selecting a training provider | 19 |
| g) First aid courses include:..... | 19 |
| h) How many first aiders | 19 |
| Fire Policy | 19 |
| a) The Responsible Person | 19 |
| b) Role of Teaching Staff | 21 |
| c) People with disabilities | 21 |
| d) All staff members..... | 22 |
| e) Fire Risk Assessment | 22 |
| f) Competence of a Fire Risk Assessor | 22 |
| g) Housekeeping. Good housekeeping is essential to reduce the risk and spread of fire within the school buildings and outbuildings. | 22 |
| h) Display materials and decorations..... | 23 |
| i) Fire Safety Management (FSM) Checks | 23 |
| j) FSM checks Daily/weekly/monthly/three-monthly/six-monthly/annual checks must be made and records kept. | 23 |
| k) Fire Marshalls..... | 23 |
| l) Safe Emergency Evacuation Procedures..... | 24 |
| m) On Sounding or Hearing the Alarm..... | 24 |
| n) Fire drills..... | 25 |
| o) During the fire drill and/or Emergency Evacuation | 26 |
| p) Evacuation of people with disabilities - Personal Emergency Evacuation Plans | 26 |
| (PEEPs) | 26 |
| q) Assembly Points | 26 |

| | |
|---|----|
| Buildings Safety Management (BSM) | 27 |
| a) Site safety inspections, repair and maintenance checks | 27 |
| b) Contractors | 27 |
| Legionella control..... | 33 |
| a) Managing risk..... | 33 |
| b) Schools holidays, low occupancy periods. Six-week summer break | 34 |
| Manual Handling Risk assessment..... | 34 |
| Display Screen Equipment | 35 |
| a) Health risks with DSE | 36 |
| b) Eye tests..... | 36 |
| Training and competence | 36 |
| a) Health and Safety Inductions – new staff | 37 |
| b) Health and Safety training – all employees | 38 |
| c) Health and Safety information and training records | 38 |
| Control of Substances Hazardous to Health (COSHH) | 38 |
| a) Actions to evaluate and control risks include: | 38 |
| b) Hazard symbols and hazard pictograms | 39 |
| c) Material Safety Data Sheets..... | 40 |
| d) Health Surveillance | 40 |
| e) Exceptions to COSHH Regulations | 40 |
| Gas Safety | 40 |
| a) Competence..... | 40 |
| b) Gas work | 41 |
| c) Monitoring | 41 |
| d) The basic requirements | 41 |
| e) If you suspect a gas leak | 41 |
| f) Maintenance..... | 42 |

"But whoever listens to me will dwell secure and will be at ease, without dread of disaster."
Proverbs 1/33.

Introduction

As the employer of staff Kent Catholic Schools' Partnership has the overall responsibility for the health, safety and welfare of all staff and pupils in the academies. Kent Catholic Schools' Partnership recognises that decisions about workplace health and safety should take into account the views/priorities of the workforce and the management.

Kent Catholic Schools' Partnership will support its schools in putting in place clear policies that focus on the key risks and in checking that control measures have been implemented and remain appropriate and effective.

In order to fulfil Kent Catholic Schools' Partnerships monitoring role and to initiate and review health and safety policies and procedures, a Central Health and Safety Committee will be established at Trust wide level, which will cover all the schools within Kent Catholic Schools' Partnership. This will operate under the terms of the Safety Representatives and Safety Committees Regulations 1977 (as amended).

This committee will meet regularly and will have a balanced union/management membership and, where relevant, is in addition to school-based committees dealing with health and safety. School based health and safety committees will report to this central committee operation across the Trust.

Although overall accountability for health and safety lies with Kent Catholic Schools' Partnership Board, each Head Teacher is responsible for the day-to-day health and safety of staff and pupils in their school. The Head Teacher will then delegate some functions to other staff, in particular the School Business Managers/School Site Managers/Supervisors/Caretakers etc.

The Local Governing Bodies of academies within Kent Catholic Schools' Partnership are not the employers of staff but play an important role in ensuring strategic direction and will work in close partnership with the Head Teacher and Senior Management Team of the school and other staff of the Trust to support and promote good health and safety management.

The following Health and Safety Policy, Procedures and Guidance applies to all Kent Catholic Schools' Partnership schools.

Health and Safety Policy

General Statement of Intent

It is the aim of the Trust Board to comply with The Health and Safety at Work etc. Act 1974 and all subsequent legislation.

The Trust Board and the Local Governing Body are committed to taking effective action 'so far as is reasonably practical' to ensure the health, safety and welfare of all employees, pupils, visitors, contractors and any other person affected by its activities.

The Local Governing Body will ensure that effective consultation takes place with all employees on health and safety matters and that all individuals are consulted before particular health and safety responsibilities are delegated to them.

Where necessary, the Trust Board or the Local Governing Body will seek specialist advice to determine the risks to health and safety in the establishment and the precautions required to deal with them.

All employees must follow policy, procedures and guidance to ensure the maintenance of high standards of health and safety in all academy premises and activities.

This Health and Safety Policy Statement of Intent and Organisation and Arrangements that support it will be reviewed annually or more frequently where there are significant changes to the Kent Catholic Schools' Partnership.

Signed: Kent Catholic Schools' Partnership Finance and Resources Committee

Date approved: July 2016

Organisation

Responsibilities of the Trust Board

The Kent Catholic Schools' Partnership Board will ensure that:

- There is strong and active leadership from the Directors.
- They will establish an effective communication system and management structure.
- Business decisions are integrated with good health and safety management processes.
- Through robust assessment they will identify and manage health and safety risks, monitor and review performance across all of the Trust schools.
- To keep the H&S policy under review.

Responsibilities of the Local Governing Body.

The Local Governing Body will ensure that:

- Suitable and sufficient risk assessments of buildings and work activities are undertaken and a written record of the assessments are kept and appropriate control measures required are implemented 'so far as is practicable'.
- Sufficient funding is allocated for health and safety e.g., in respect of training, protective equipment, any remedial work/service and maintenance of building.
- Regular safety inspections are undertaken, this will include inspections arranged by the Trust Central Office.
- Inspection reports, including those from trade union health and safety representatives are considered and acted upon.
- Health and Safety should be a regular item on the agenda of the Local Governing Body.
- The annual health and safety report for each school is submitted to the Central Committee with comments on actions taken or to be taken.
- A positive health and safety culture is established and maintained.

Responsibilities of the Head Teacher

The Head Teacher will ensure that:

- any Accidents/Incidents/Near Misses as are reported required under The Reporting of Injuries, Diseases and Dangerous Occurrences Regulations 2013 (RIDDOR)

- To complete an accident/incident/near miss investigation where appropriate and implement actions required to eliminate/reduce the risks to the health and safety of people and buildings/equipment etc.
- Suitable and sufficient risk assessments of work activities are undertaken, that a written record of the assessments are kept and that the assessments are reviewed annually or upon change of circumstances.
- For high-risk activities, safe systems of work are identified via a risk assessment.
- Adequate and appropriate first-aid provision.
- Information and advice on health and safety is acted upon and circulated to staff and governors.
- Regular inspections are carried out by the Local Governing Body.
- An annual report is provided to the Local Governing Body and the Central Committee.
- There is co-operation with Kent Catholic Schools' Partnership in meeting its legal requirements in respect of monitoring of health and safety practices and procedures.
- Staff are competent to undertake the tasks required of them and have been provided with appropriate training by competent persons.
- Staff are provided with equipment and other resources to enable their work to be undertaken safely.
- Those who receive delegated responsibilities are competent; their responsibilities are clearly defined, they have received appropriate training and are provided with equipment or other resources in order to ensure they can fulfil such duties.
- There is co-operation, with, and provision of necessary facilities for trade union health and safety representatives.
- Appropriate tasks are delegated to the Academy's Site Manager (where applicable)/Supervisor and other premises staff.

Responsibilities of all Senior Managers

Deputy/assistant head teachers and school business managers may be required to undertake any of the head teacher's duties which have been reasonably delegated to them which may include responsibility for health and safety management.

Responsibilities of the Site Manager/Caretaker

The Site Manager/Caretaker will ensure that:

- Safe means of access and egress are maintained.
- The premises are kept clean and that adequate welfare facilities are provided.

- Safe working arrangements are in place when contractors are working on the premises.
- Adequate security arrangements are maintained.
- Adequate fire safety arrangements are implemented.
- Regular testing and maintenance of electrical equipment including portable equipment takes place.
- Adequate systems are in place for the management of asbestos (where relevant) and for the control of legionella.
- All premises-related accidents/incidents/near misses are recorded and investigated.
- Regular inspections of the premises takes place. With safety representatives invited to take part and records kept.
- A copy of the Health and Safety Law poster (2009 version) is displayed in an easily accessible location, for example in the staff room.

Responsibilities of all Employees

Implementation of the policy is a management responsibility but the co-operation of all employees is essential. All staff employed by the Kent Catholic Schools' Partnership will act responsibly to ensure that:

- They are familiar with, and comply with, the Trust Health and Safety Policy, and detailed Procedures and Guidance.
- They take reasonable care for their health and safety at work and that of other persons who might be affected by their acts or omissions both at work and during offsite activities.
- They report immediately, to the Head Teacher or to their line manager any serious or immediate danger of which they become aware.
- They report immediately, or as soon as practicable, any defects noted with plant, equipment, machinery or the workplace generally to the Head Teacher or to their line manager.
- There is no misuse of anything that has been provided for health and safety purposes.
- They use the correct equipment and tools for the job and any protective equipment that may be necessary.

Pupils at each Trust school should be **encouraged** to follow safe practices and observe safety rules including:

- To follow instructions issued by a member of staff in case of emergency.

- They do not intentionally interfere with safety equipment, e.g., fire extinguishers and fire alarms.
- They inform a member of staff of any situation, which may affect their safety or that of another pupil.

Arrangements

Health and Safety Representatives

Under the Safety Representatives and Safety Committees Regulations 1977, a recognised independent trade union has the right to appoint safety representatives. Recognised trade unions will inform the Head Teacher in writing when a health and safety representative has been appointed and, where this is the case, the school will consult with that representative on health and safety matters. Trade union health and safety representatives are entitled to raise any issue of health and safety as it affects employees. The school will consult in good time with health and safety representatives on any measures, which may affect the employees represented by the health and safety representative. The school will ensure that paid time off is provided for the inspections that the health and safety representative is entitled to undertake as well as for training necessary to enable the health and safety representative to carry out their functions effectively. The members of staff who are health and safety representatives for the recognised trade unions will be communicated annually to staff within each school.

Health and Safety Committee

The school's Health and Safety Committee will report to the Local Governing Body, which in turn will report to the Trust Central Health and Safety Committee. The Health and Safety Committee is essential to enable management and trade union representatives to work together to ensure not only compliance with the law, but to develop a positive health and safety culture within the workplace. The academy recognises that when employees are proactively engaged in health and safety, workplaces have lower accident rates.

The Health and Safety Committee shall consist of:

Management and employee representatives with the number of management representatives not exceeding the number of employee representatives.

Management participants should include people with senior management responsibilities for health and safety include:

- Head teacher (or their representative) and other representatives with the necessary knowledge, expertise and management authority to play a full role.

- 'Link' governor(s) for health and safety.
- The school workforce contingent should include the health and safety representatives from each union, or agreed representation by the unions.

The employee representatives will include the accredited safety representatives from the teaching and support staff trade unions. Membership of the safety committee is regarded as part of an individual's normal work.

The Health and Safety Committee shall include the following functions:

- Promoting co-operation between management and employees on matters of health, safety and welfare at work.
- Studying accident and absence statistics (including absence levels due to stress) in order that unsafe conditions, acts and practices can be identified and consideration given to the formulation of policies and guidance to eliminate the hazard and/or reduce the risk.
- Assisting in the development of safety guidance and safe systems of work.
- Monitoring the effective implementation of Trust wide health and safety policies and procedures.
- Monitoring the effectiveness of the safety content of employee training.
- Developing procedures and arrangements that will safeguard the health and safety of persons other than employees such as pupils, visitors, and contractors.
- Participating in periodical joint inspections.
- Monitoring action taken following trade union and management site inspections

Reporting of Accidents/Incidents/Near Miss

The Reporting of Injuries, Diseases and Dangerous Occurrences Regulations 2013 (RIDDOR) requires employers and others in control of premises to report certain accidents, diseases and dangerous occurrences arising out of, or in connection with work.

Clarification of definitions

The definition of accidents/incident/near miss are:

- Accident - any unplanned event that results in personnel injury or damage to property, plant or equipment.
- Incident - an unexpected and usually unpleasant event that has happened. Including acts of aggression/verbal abuse.

- Near miss - is an unplanned event that did not result in injury, illness, or damage, but had the potential to do so. Other familiar terms for these events are a “close call,” a “narrow escape,” or in the case of moving objects, “near collision” or a “near hit.”

Prevent Future Incidents

A faulty process or management system invariably is the root cause of Accidents, Incidents, and Near Miss (AIN's) and must be the focus for improvement. History has shown repeatedly that most AIN's producing events both serious and catastrophic were preceded by warnings or near miss incidents. Recognising and reporting of AIN's can significantly improve worker safety and enhance our organisation's safety culture.

Accident/Incident/Near Miss Report form

The school collects personal information about the injured person(s) on the form in relation to Accidents/injuries/diseases/Near Misses and Dangerous Occurrences arising out of or in connection with work. We may be required to share your information with the Health and Safety Executive to ensure that we meet our legal responsibilities under the Reporting of Injuries, Diseases and Dangerous Occurrences Regulations 2013.

Note: The Data Protection Act 1998 requires that employee's personal information must be kept secure after the form has been completed.

The record form must:

- Be kept safely and accessible to all staff members.
- The accident report form must be completed for all accidents/incidents/near misses.
- Be reviewed at least termly to identify any potential or actual hazards

What needs to be reported?

Injuries and ill health to people at work. Under RIDDOR the 'Responsible Person' in control of the premises must report:

- Accidents which result in death or a specified injury must be reported without delay (see reportable specified injuries).
- Accidents which prevent the injured person from continuing their normal work for more than seven days (not counting the day of the accident, but including weekends and other rest days) must be reported within 15 days of the accident.
- Any disease specified under RIDDOR that affects an employee and that a doctor confirms in writing.

- Any work-related deaths and certain injuries to the self-employed people that take place while they are working on the premises/site.

Note: *Deaths or injuries resulting from a road traffic accident involving a school vehicle travelling on the public highway, under RIDDOR are not reportable. As these are classed as road traffic incidents and are investigated by the police.*

Reportable specified injuries

These include:

- Fractures, other than to fingers, thumbs and toes
- Amputations
- Any injury likely to lead to permanent loss of sight or reduction in sight
- Any crush injury to the head or torso causing damage to the brain or internal organs
- Serious burns (including scalding), which: cover more than 10% of the body; or cause significant damage to the eyes, respiratory system or other vital organs
- Any scalping requiring hospital treatment
- Any loss of consciousness caused by head injury or asphyxia
- Any other injury arising from working in an enclosed space which: leads to hypothermia or head-induced illness; or requires resuscitation or admittance to hospital for more than 24 hrs.

Physical violence

Examples of reportable injuries from violence include an incident where a teacher sustains a specified injury because a pupil, colleague or member of the public assaults them while on school premises. This is reportable because it arises out of or in connection with work.

Reportable occupational diseases

These include (which a doctor confirms in writing):

- Carpal tunnel syndrome
- Severe cramp of the hand or forearm
- Occupational dermatitis e.g., from work involving strong acids or alkalis, including domestic bleach
- Hand-arm vibration syndrome
- Occupational asthma e.g., from wood dust and soldering using rosin flux
- Tendonitis or tenosynovitis of the hand or forearm
- Any occupational cancer
- Any disease attributed to an occupational exposure to biological agent

Incidents to pupils and other people who are not at work

Are only reportable under RIDDOR if the accident results in:

- The death of the person, and arose out of or in connection with a work activity
- An injury that arose out of or in connection with a work activity and the person is taken directly from the scene of the accident to hospital for treatment (*examinations and diagnostic tests do not constitute treatment.*)

The lists of specified injuries and diseases only apply to employees. If a pupil injured in an incident remains at school, is taken home or is simply absent from school for a number of days, the incident is **not reportable**.

There is no need to report incidents where people are taken to hospital purely as a precaution, when no injury is apparent.

Dangerous occurrences

Reportable dangerous occurrences in schools typically include:

- The collapse or failure of load-bearing parts of lifts and lifting equipment
- The accidental release of a biological agent likely to cause severe human illness
- The accidental release or escape of any substance that may cause a serious injury or damage to health
- An electrical short circuit or overload causing a fire or explosion

Who should report and who to report to

The RIDDOR reporting system is only for notification of those incidents which require reports under the RIDDOR regulations. Reports should only be submitted by the 'Responsible Persons' i.e., Head Teacher with duties under these regulations, in control of work premises where incidents occur. It is not appropriate for injured persons, members of the public or others who do not have duties under RIDDOR to use this reporting system.

The Head Teacher at each school may delegate reporting to the school management team.

You can report all incidents online: <http://www.hse.gov.uk/riddor/report.htm> where you will find the appropriate form.

There is a telephone service for reporting fatal and specified injuries only: Incident Contact Centre on 0345 300 9923 (opening hours Monday to Friday 8.30 am to 5 pm).

Any reportable Accident/Incidents/Near misses must be also be reported to The Business and Finance Director, [01622 232662](tel:01622 232662).

Records must be kept for:

- Any reportable death, specified injury, disease or dangerous occurrence that requires reporting under RIDDOR.
- All occupational injuries where a worker is away from work or incapacitated for more than seven consecutive days.
- If a worker is away from work or incapacitated for more than three days a record must be kept.

These records must be kept for at least three years after the incident.

Reporting requirements of other regulators

There may be other reporting requirements placed on schools by other regulators in the education sector e.g., Ofsted and Local Child Protection Agencies. The requirements of these other regulators are separate to and distinct from the legal duty to report incidents under RIDDOR.

Electrical Safety

The Health and Safety at Work Act 1974 impose general duties on employers to ensure the health and safety of employees and others. The Electricity at Work Regulations 1989 also set out specific requirements on electrical safety. All of these apply in schools.

a) Competent Persons to undertake maintenance or repair of electrical installations and portable appliance testing (PAT)

- Under no circumstances will academy staff work on live electricity, unless they have received the appropriate training and have the level of skills and experience required to do so safely and competently. Certification of the training would be required as proof.
- Teachers cannot be required to undertake any electrical maintenance or repair work
- Without exception, such work should be allocated to an individual with appropriate training and expertise.
- Day to day testing of electrical equipment could be the task of a delegated member of staff e.g., Site Manager/Caretaker who have had the necessary training and equipment for this task.

- Only people who have the necessary professional training and skills required should carry out more complex work on testing and maintenance.

a) Risk Assessment

Suitable and sufficient risk assessments are required to identify significant risks to health and safety and measures that are to be taken to remove or reduce risks. Risk assessments on electrical safety must take account of the requirements of the Electricity at Work Regulations, which cover electrical apparatus as well as the mains supply.

c) Visual inspections and tests

All portable appliances should be visually inspected at the beginning of each term, but more frequently if its use or environment suggests this e.g., checking for loose cables or signs of fire damage, and if possible, checking inside the plug for internal damage, bare wires and the correct fuse.

All earthed portable equipment such as drills, saws, irons, hand lamps etc., should be subject to a detailed inspection and test at a frequency dependent upon the use of the equipment and determined by a competent person. Items, which are rarely unplugged e.g., refrigerators will need inspecting and testing infrequently.

d) Portable Appliance Test (PAT)

PAT must be carried out on an annual basis by someone with the necessary knowledge and experience to carry out a test and interpret the results should be completed in accordance with the findings of the risk assessment.

e) Records of PAT

A written record of the tests, in the form of a logbook or register should be maintained and be available for examination and the equipment itself should be marked with some form of identification, with the date of the most recent test included on a label.

f) Damaged or faulty appliances

Must be removed from use and either repaired by someone competent or disposed of to prevent its further use. The item must be labelled with a 'DO NOT USE' sticker attached until it is suitably repaired. If the item is to be disposed of, the plug must be removed and disposed of safely.

g) Fixed Electrical installations

The HSE advises that fixed electrical installations (including the mains system, sockets, lights and heaters provided they have been adequately maintained), should be inspected by a competent person at least every five years. A more frequent inspection and testing will be necessary if the installations are subject to damage and abuse.

h) Record of fixed wire tests

A test certificate should be prepared showing the date and results of the inspection and test. A copy will be kept at the school for five years.

Equipment should always be visually checked before use in particular the condition of power cables and their terminations, as these can often be damaged, wrenched and jerked, which may loosen their connections.

Note: Any accidents/incidents/near misses involving electricity may need to be reported under The Reporting of Injuries, Diseases, Occurrences Regulations (RIDDOR) see 3.4.

i) Preventing accidents with electricity

In the prevention of accidents and fire the school will not accept gifts or second-hand electrical appliances, or bring in their own appliances from home, unless a competent person has tested the equipment and records provided of the test (PAT).

First Aid

The Health and Safety (First-Aid) Regulations 1981 require employers to provide 'adequate and appropriate' provision to ensure their employees receive immediate attention if they are injured or taken ill at work.

The above regulations do not place a legal duty on employers to make first-aid provision for non-employees such as the public or children in schools. However, it is **strongly recommended** by the HSE, and it is the Trust's policy that provision is made for them.

a) Assessment of first-aid needs

This involves consideration of workplace hazards and risks, the size of the school and other relevant factors to determine what first-aid equipment, facilities and personnel should be provided.

b) Points to consider/impact on first-aid needs include:

- The number of people at any one time that occupy the building. These should include staff, pupils, visitors, work experience students and contractors.
- The type of accidents/incidents that have been identified in past?
- The size of the school.
- Are there any workplaces that remote?
- Higher level hazards, such as chemicals or dangerous machinery.
- Do any members of staff work remotely or alone?
- Is there enough provision of first-aiders to cover if some are absent?

c) Kent Catholic Schools' Partnership defines that the minimum first-aid provision on any school site is:

- A suitably stocked first-aid kit(s) (determined by the first aid assessment)
- Appropriate numbers of trained qualified First Aiders (determined by the first aid assessment)
- Information for employees about first-aid arrangements e.g., names of first aiders to be displayed, clearly identifiably and accessible first aid kit(s).
- Provision of first-aid needs to be available at all times to people at work.

d) What should be put in the first-aid box?

There is no mandatory list of items to put in the first-aid box, it depends on what needs have been assessed. As a guide for low-level hazards a minimum stock of first-aid items are:

- A leaflet giving general guidance on first aid (e.g., HSE's Basic advice on first aid at work).
- Individually wrapped sterile plasters
- Sterile eye pads
- Individually wrapped triangular bandages, preferably sterile
- Safety pins
- Large individually wrapped, sterile, unmediated wound dressings
- Medium-sized, individually wrapped, sterile, unmediated wound dressings
- Disposable gloves

Note: Tablets and medicines should not be kept in the first-aid box. All schools are required to have a policy for the dispensing of medication to pupils.

e) First aiders - Training and qualifications

The first aider is someone who has completed training appropriate to the level identified in the assessment of first aid. All first aiders are required to attend an appropriate first aid course with a competent training provider e.g., those offering nationally recognized,

regulated qualifications, voluntary aid societies (e.g., St. John Ambulance, British Red cross) and undertake appropriate refresher training.

f) Selecting a training provider

When selecting a training provider you should check:

- The qualifications expected of trainers and assessors
- Monitoring and quality assurance systems
- Teaching and standards of first-aid practice
- Syllabus content
- Certification

g) First aid courses include:

- First aid at work (FAW)
- Paediatric first aid training
- Emergency first aid at work (EFAW)

h) How many first aiders

This depends on the assessment of your first-aid needs, or where there are additional special circumstances. As an example the HSE suggested numbers available at all times at work are:

- Low hazard - for more than 50 people at least one first-aider trained in every 100 employed
- Higher-hazard - for more than 50 at least one first-aider trained for every 50 employed

Fire Policy

a) The Responsible Person

The Regulatory Reform (Fire Safety) Order 2005 places a duty on the 'Responsible Person' to ensure that it's fire safety management and in particular, fire equipment, fire notices and fire drills are in place and up-to-date.

The 'Responsible Person' is The Head Teacher within the academy and is responsible for ensuring that appropriate arrangements are in place to ensure the safety of the premises and occupants. Duties include, taking:

- Measures to reduce the risk of fire on the premises and the risk of the spread of fire on the premises. This includes:

- The completion of a Fire risk assessment, which should be suitable and sufficient and carried out by a competent Fire Risk Assessor (see sub-heading Competence of a Fire Risk Assessor, below).
- Good housekeeping, do not allow combustible materials to accumulate. o Suitable firefighting equipment, which is located in appropriate positions.
- Means of raising the alarm.
- Fire doors to be kept closed at all times (unless they are fitted with an appropriate device which enables the door to be closed automatically in the event of a fire).
- Daily checks on the premises to be carried out, including security to ensure that all practical measures have been taken to reduce the risk of fire both internally and externally.

Measures in relation to the means of escape from the premises.

This includes:

- Fire action notices to be displayed throughout the building with clear emergency evacuation instructions in the event of a fire.

Any person discovering a fire

- Sound the alarm
- Call the Fire & Rescue Service telephone 999
- Leave the building by the most direct route.
- Attack the fire using fire extinguishers or other firefighting equipment only if your escape route is blocked by the fire.

On hearing the fire alarm

- Leave the building by the most direct route, closing all doors behind you.
- Report to the assembly point for the building
- Do not take risks
- Do not return to the building for any reason until authorised to do so by the Fire & Rescue Service.
- Do not use any lifts

Measures for securing that, at all material times, the means of escape can be safely and effectively used.

- Fire exit routes must be kept clear of obstructions at all times
- Final fire exit doors must be kept clear of obstructions leading to a place of safety on the external parts of the building.

Measures in relation to the means for fighting fires on the premises.

- Appropriate firefighting equipment must be provided
- Relevant staff members must be trained in the use of fire extinguishers (this is to aid an escape only).
- Measures in relation to the means for detecting fire on the premises and giving warning
- Appropriate fire/smoke detection to be installed, in relevant locations.
- Viewing panels in doors and walls, when there are rooms within rooms

Measures in relation to the arrangements for action to be taken in the event of fire on the premises including:

Measures relating to the instruction and training of employees.

- Fire Policy and Procedures to be disseminated to all staff
- Fire awareness training to be provided to all staff
- Fire Action Notices to be displayed throughout the building
- The training of Fire Marshals

Measures to mitigate the effects of the fire.

- Do not exceed the maximum occupancy
- Maintain fire exits and signage
- Comply with electrical and gas regulations
- Service and maintenance of firefighting equipment, which must be easily accessible.
- Safe storing and using, of hazardous materials
- Safety inspection of buildings
- Maintenance of fire alarm systems
- Fireproofing Training of staff
- Fire drills

b) Role of Teaching Staff

- All teaching staff have the responsibility for the safe evacuation of children in their charge.
- Teaching staff should ensure that pupils and students line up quickly and safely and walk out of the building quietly, evacuating by the nearest safe emergency exit route

c) People with disabilities

- Teaching staff should be aware of any child in their class that has a disability and may experience difficulties in evacuating the building by the designated escape route

e.g. where there is a difference in floor level with stairs or ramps. A Personal Emergency Evacuation Plan must be completed (See Appendix).

- Line Managers must complete a Personal Emergency Evacuation Plan for all people with a disability.

d) All staff members

- Must take reasonable care for their own health and safety at work and that of other persons who might be affected by their acts or omissions.
- Should follow evacuation procedures.

All staff are required to take mandatory on-line fire awareness training.

Under no circumstances is anyone to re-enter the building unless the Emergency Services give the all clear.

e) Fire Risk Assessment

A fire risk assessment is an organised and methodical look at the premises, the activities carried on there and the likelihood that a fire could start and cause harm to those in and around the premises. These assessments will normally be organised by the Trust Central Office.

The fire risk assessment should demonstrate that, as far as is reasonable, the needs of relevant persons including the disabled have been identified.

A suitable and sufficient fire risk assessment must be completed by a competent Fire Risk Assessor and reviewed at least every 12 months, or sooner if there have been significant changes e.g., in the layout of the building, if there are contractors working on site that may pose a hazard.

f) Competence of a Fire Risk Assessor

Kent Catholic Schools' Partnership Board defines as a minimum that a competent Fire Risk Assessor to be as follows:

- Be a member of the Institution of Fire engineers
- Hold at least the NEBOSH National Certificate in Fire Safety and Risk Management, or equivalent.
- Has demonstrable experience in completing school/college Fire Risk Assessments.
- Has a current DBS check

g) Housekeeping. Good housekeeping is essential to reduce the risk and spread of fire within the school buildings and outbuildings.

- Combustible materials should be kept to a minimum, do not allow waste to build up.

- Empty waste bins regularly
- Do not store skips and waste bins near to the school property.
- Ensure large amounts of contractor's materials are stored safely away from the buildings (wherever possible).
- Keep flammable materials from sources of ignition.

h) Display materials and decorations

An evaluation of the material(s) used in displays and decorations should be made as paper, cardboard and plastic provide a means for the rapid spread of fire. To reduce the risk of fire spread:

- Avoid the use of displays in corridors and foyers.
- Minimise the size and number of display areas to discrete, separated areas.
- Do not put displays down stairways, which are part of the designated escape route or where there is only one direction of escape i.e., dead-end conditions.
- Treat displays with proprietary flame-retardant sprays.
- Avoid the use of display boxes.
- Keep displays away from curtains, light fittings and heaters.
- Keep displays away from ceiling voids, which may lack fire barriers.
- Ensure that there are no ignition sources in the vicinity.
- Ensure displays do not obstruct escape routes or obscure fire notices, fire alarms, call points, firefighting equipment or escape signs.

i) Fire Safety Management (FSM) Checks

To ensure compliance with fire regulations, checks must be made to reduce the risk of fire at the academy. These tasks are delegated by the 'Responsible Person' the Head Teacher to the Site Manager/Caretaker at the academy.

j) FSM checks Daily/weekly/monthly/three-monthly/six-monthly/annual checks must be made and records kept.

Checks include:

- Fire Warning systems
- Escape routes
- Escape lighting
- Firefighting equipment.

These checks are prioritised for service and maintenance requirements

k) Fire Marshalls

Staff expected to undertake the role of Fire Marshalls (often called fire wardens) would require comprehensive training. Their role may include:

- Performing a supervisory/managing role in any fire situation
- Assisting those on the premises to leave.
- Checking the premises to ensure everyone has left.
- Using firefighting equipment if safe to do so.
- Liaising with the fire and rescue service on arrival.
- Shutting down vital or dangerous equipment.

I) Safe Emergency Evacuation Procedures

Under no circumstances are lifts to be used for evacuation purposes in the event of a fire. Unless, the lift is clearly identified as an emergency evacuation lifts, and this may only be used for disabled people.

Fire Action notices must be displayed in appropriate locations throughout the buildings next to fire call points. These will include clear instructions on what to do it when raising the alarm and information regarding the nearest fire exit and assembly point(s).

All staff must be aware of emergency procedures. Including:

- Fire Action notices
- The locations of temporary fire alarms
- How to activate the fire alarm as a means of raising the alarm.
- Locations of Fire Extinguishers (fire extinguishers must only be used to aid escape in the event of a fire)
- Emergency exit routes/final exit fire doors
- Fire assembly points

m) On Sounding or Hearing the Alarm

In all cases, unless otherwise informed, all staff should treat the alarm as a real event and should respond accordingly in a calm manner.

- **On discovering a fire**
 - Sound the alarm by pressing one of the emergency fire alarms.
 - Call the Fire & Rescue Service telephone 999
 - Leave the building by the most direct route.
 - Attack the fire using fire extinguishers only if your escape route is blocked by the fire and in order to enable a safe evacuation.

On hearing the fire alarm

- Leave the building by the most direct route, closing all doors behind you.
- Report to the assembly point for the building
- Do not take risks
- Do not return to the building for any reason until authorised to do so by the Fire & Rescue Service.

n) Fire drills

Fire drills are intended to ensure, by means of training that:

- People who may be in danger act in a calm and orderly manner
- Those with responsibilities carry out their tasks to ensure the safety of all concerned.
- Escape routes are used in accordance with a predetermined and practiced plan.
- Evacuation of the building is achieved in a speedy and orderly manner
- People will react rationally when confronted with a fire or other emergency at school.

How often to carry out a fire drill? The Kent Catholic Schools' Partnership Board expect each school within the Trust to carry out fire drills **at least** three times a year.

Should you inform staff before a fire drill?

The advantage of informing all staff of fire drills beforehand is that firstly they will not panic, which avoids potential injuries that could be caused in a rush to exit a building. Secondly if the alarm sounds without a prior warning, there will be no ambiguity as to if it is a drill or not and people will behave appropriately.

Preparing for a fire drill

When planning a fire drill decide on something specific that will be monitored. This could be a specific aspect of the escape plan that has been highlighted as needing improvement or a more general goal, such as reducing the amount of time it takes for everyone to exit the building. Amongst the staff, a team of fire marshals with a chief fire marshal should be appointed to supervise fire drills and check that everyone gets out safely. All marshals will require special training so that they can carry out their duties safely and effectively.

Informing the fire service of a fire drill

If the school has a system that automatically informs the fire service when the alarm is triggered, appropriate measures to stop this from causing the Fire Service a wasted journey. Take any systems off line before the fire drill but be sure to get them back up and running once the drill has finished.

o) During the fire drill and/or Emergency Evacuation

To monitor fire drills, observers should be placed at points around the building in areas such as stairwells to look for good and bad practices. Any room for improvement can be noted and then discussed at the debriefing meeting after the evacuation.

In buildings where there are more than one exit routes, the main exits should be blocked off to encourage staff to use alternative escape routes as in a real fire; parts of the building could be impassable due to fire or smoke.

Set a stopwatch to record how long the full evacuation takes, teachers, school business managers, cleaning supervisors, senior catering staff, and fire marshals should do a roll call and tick people off to make sure everyone in their class and department(s) are out of the building.

The Fire Service must be informed immediately of any person who is missing, along with their area of work.

p) Evacuation of people with disabilities - Personal Emergency Evacuation Plans (PEEPs)

Of all the people who may be especially at risk you will need to pay particular attention to pupils, staff and visitors who have special needs, including those with a disability.

Personal need will often be modest and may require only changes or modifications to existing procedures. It may be required that a PEEP needs to be developed for that individual who frequently uses the building. This PEEP needs to be completed in consultation with the individual or in the case of a pupil with their parents/guardians and/or other relevant people, with copies provided of the PEEP and records kept.

- A PEEP should also be completed for any pupil, staff, or visitor who have a disability.
- The PEEP will clearly state what actions are required in those particular circumstances.

q) Assembly Points

An area outside the school building must be designated as an assembly point. It must be clearly marked and easily identified by anyone who may be on the schools premises. It must be far enough away from the school building(s) to give protection from the heat and smoke given off by a fire. It should be in a position that does not put any people at risk by emergency vehicles responding to the incident.

- Once outside and at the Fire Assembly Point, staff members should take a register to check that all children and staff members are accounted for.
- If there are any staff or children missing this must be reported immediately to the Fire Service details to be provided to the Fire Service include:
 - Name of missing person
 - Place and time last seen and by whom
 - Any other information e.g., medical condition, or behavioural issues.

Staff members in charge of the class are then to supervise the class and await further instructions from the Fire and Rescue Service.

Buildings Safety Management (BSM)

The 'Responsible Person' the Head Teacher who may delegate these tasks, has a duty to provide and maintain a working environment that is safe and without risk to health.)

Information required in any BSM records are:

- Installations that are currently in place
- Is there a testing/check/service/maintenance regime in place, if YES how often?
- Is the testing/check/service/maintenance completed by an external contractor or by competent academy employee(s)?
- Names and job title where relevant or full contractor information

a) Site safety inspections, repair and maintenance checks

Checks should be completed daily, and any repairs and maintenance that are identified must be reported to the Head Teacher or their delegated person.

The report should include:

- Date the work/actions were identified
- Description of work/actions required and/or what immediate actions were taken (if any).
- Name of the person reporting
- Date work was completed

It may be necessary to take photographs of the work required in order for a more accurate description to be made.

b) Contractors

• Construction/Building Work/Refurbishment or Demolition

Under **no** circumstances must plans for/construction/building work/refurbishment or demolition on academy premises begin without approval at the earliest opportunity of the Business and Finance Director of Kent Catholic Schools' Partnership and the relevant person at the Southwark Archdiocese Education Commission.

- **Suitability of all contractors**

The person responsible for contractors on academy premises is that of the Head Teacher, or their delegated staff member and/or where applicable the Finance and Business Director.

- A 'Contractor Pre-contract Check must be completed by the contractor(s) and approved before any work commences.
- Competence of the contractor to complete the job safely e., their skills, training, knowledge and experience in the work to be completed is essential. The more complex the task the more competent the contractor will need to be.
- Contractors are required to comply with legislation, relevant regulations and the Trust Health and Safety Policy, Procedures and Guidance.

The delegated person to complete the suitability of all contractors should also complete a Contractor Checklist to ensure that they have taken all reasonably steps have been taken.

- **An assessment of the hazards and risks involved with the work**

- The delegated person who is responsible for the contractor(s), together with the contractor(s) must discuss the planned work to be completed, suitable and sufficient Risk Assessments and Method Statements must be provided by the contractor.
- What can cause harm to people, or damage to building, plant and equipment. E.g. hazards associated with equipment the contractor(s) will be using including vehicles, tools, and noise.
- Are there any harmful substances used in the processes.
- Who might be harmed and how?
- How will the risks be controlled?
 - Considerations include:
 - Any risks from each other's work that could affect the health and safety of others e.g., access and egress to the site, pedestrian routes, will local residents be affected.
 - Will the work affect other relevant staff, pupils, visitors other contractors?
 - Make sure you agree the measures needed to control risks with the contractor before work starts.
 - Once you have agreed action to control risks, be clear about who will do what and when.
 - Provide the contractor with information and instruction about all the health and safety potential risks on site that they may need to be aware.
- The 'Responsible Person' or the delegated person and the contractor must: -

Work together and coordinate activities to ensure the work can be completed safely and without risks to health. E.g., regular meetings throughout the course of the work undertaken.

The level of cooperation and coordination will depend on:

- The job to be done.
- The number of contractors (or subcontractors) involved
- The risks involved.
- *And* consult with others affected on site. (You must consult with employees on health and safety matters by law).
- Consult with employees on how the contractor's work will affect their health and safety.
- Make sure they know how to raise any concerns they may have about the contractors and their work.
- Pay particular attention to those whose first language may not be English.
- Do not assume that contractors will be aware of all risks, even if they seem obvious to you.

Managing/supervising the work

- Who will be responsible for the work and what do you expect them to do?
- Who is in charge of supervising their work and how?
- How will the work be done and what precautions will be taken? Always refer back to risk assessments/method statements to ensure the contractor is complying with the control measures and processes identified in the assessments
- What equipment should or should not be worked on/used?
- What personal protective equipment (PPE) is to be used and clarify who will provide it? (It is the contractor's responsibility to ensure that PPE is suitable for the job being undertaken and they are responsible for the supply of PPE).
- What are their working procedures (refer to risk assessments/method statements) including permit to work/hot work.
- What arrangements are there for stopping the work, if there are serious health and safety concerns?

Once the work has started, the Site Manager/Supervisor to ensure checks are made on how the work is going, in line with what was agreed. This can be done by:

- Regular checks 'are control measures working?'
- Investigating (and recording) if things go wrong, this may be: near miss, accident, and ill health. What when wrong? What can we do to prevent reoccurrence?
- Review and learn from any lessons so performance can be improved in the future.

Contractor information and academy Health and Safety requirements, to be provided to the contractor

General safety rules

- Must sign-in upon arrival and sign-out when leaving.

- Before starting work at the school site, report to Site Manager/supervisor.
- Must comply with the school's Contractor Health and Safety Policy and Procedures.
- Must sign the contractor log book when work has been completed.
- Comply with the Health and Safety at Work etc., Act 1974, and any subsequent legislation.
- Take care of themselves and any other person(s) that may be affected by their acts of omissions.
- Be directly responsible for the acts and omissions of their workers.
- Comply with Regulations, and work to best practice e.g., Guidance and Approved Codes of Practice that are relevant to their work.
- Comply with the conditions, procedures and control measures as defined by their method statements and risk assessments.
- Provide their workers with adequate Personal Protective Equipment (PPE) and shall use/wear relevant PPE as necessary.
- Provide suitable and safe work equipment
- Cease to use and report any safety related defects found with all/any work equipment they are using.
- Report any issues with health and safety and report any Accidents/Incidents/Near Miss.
- Provide their own First Aid provision.
- Not intentionally damage or misuse anything provided in the interests of Health and Safety whilst on Academy premises.
- Report to the Head Teacher, Business Manager or Site Manager/supervisor any incidents that may directly or indirectly affect health and safety of persons on the academy site.
- Remain in the area of work undertaken and shall not enter any other area without permission of the Head Teacher, Business Manager or Site Manager.
- Not store any hazardous substances on the Academy premises without permission of the Head Teacher, Business Manager, and Site Manager/supervisor.
- Not smoke in/on any part of the school buildings or anywhere on site.

This may not be a comprehensive list and therefore contractors should be reminded that, at all times, they must work in a safe manner.

Specific safety rules

Fire Alarm/emergency evacuation

- All contractors must make themselves familiar with the emergency fire procedures for the Academy.
- If a contractor discovers a fire they must raise the alarm immediately and follow the emergency fire procedure instructions provided on the Fire Action Notices throughout the building

• Permit to Work (PTW)

PTW are a formal management system used to control high-risk activities. These enable an assessment of risk to be made and to specify control measures, which will be put in place in order to minimise the risk.

They are necessary for such activities as maintenance or construction work by external contractors. Unless suitable and sufficient risk assessments indicates otherwise.

Examples of types of work which permits will be required include:

- Working at height, e.g., on roofs
- Confined spaces e.g., ducts
- Hot work e.g., welding, soldering or cutting using hot flame techniques
- Live working on electricity supply systems
- Work involving interaction with asbestos
- Excavation and the digging of trenches

Intention of the Permit to Work is to:

- Ensure that the work is intended to take place is properly authorised
- Clarify the nature and extent of the work
- Specify which precautions must be taken and which activities are prohibited.
- Consideration should also be taken of the activities of other people on the Academy site, which may be affected by the proposed work. These activities may need to be temporarily suspended or modified.
- Indicate the date, time and location that the specified activities may occur
- Ensure that all those persons who have control of or any who are affected by the activity are made aware.
- Provide a record of the work, that the specified precautions have been understood and implemented, and that the workplace and or equipment are returned to a safe condition.

Academy employees are not permitted to undertake work, which will require a Permit to Work.

Key Points of PTW

- The school's Site Manager is responsible for enforcing the use of PTW's
- A competent person who understands the risks and the necessary control measures to put in place should only issue permits.
- A permit should be task specific and the necessary risk assessments and methods statements still need to be completed by the contractor in liaison with the Site Manager. PTW are not a replacement.
- PTW should only be in place for a limited duration and be clearly dated with specific conditions attached.
- PTW should not be transferred to other people or other contractors.
- Any safety precautions required should be done prior to work commencing. The PTW should state these requirements, for example, electrical isolation.

- The Site Manager/Supervisor should only sign and date the permit when they are satisfied that all precautionary measures have been taken.
- If the risk is too high, for example because of bad weather/conditions or dangerous structure, then a permit should not be issued, and work not commenced.
- All PTW records must be retained by the Site Manager/Supervisor

Examples of control measures that should be considered when issuing a **PTW** include:

- **Roof Works**

- Testing roof fragility
- Edge protection
- Prevention of falls of materials or objects
- PPE
- Emergency procedures
- Adequate means of access

- **Hot work**

- Good housekeeping
- Use of protective curtains (where relevant)
- All 'hot works' equipment should be regularly maintained and inspected
- Ensure a competent person visits the area after hot works has finished to ensure that no smouldering embers or hot surfaces remain
- Provision of suitable fire extinguishers
- Ensure that sprinklers (if installed) are isolated and reactivated after the works.

- **Isolation**

- When working on electrical systems, they should be physically isolated i.e., 'locked off' (with the contractor's own padlock) etc., this should be stated on the permit.

- **Other control measures include:**

- Warning signs and often a lookout need to be posted around the area where work is being carried out.

- **Cancellation of PTW**

- When the operations laid out in the permit have been completed, it should be cancelled immediately and returned to the Site Manager/Supervisor. They should ensure that the work detailed on the permit has been done satisfactorily. They should then sign off the permit to ensure that it is fully cancelled.
- This may only be done when all personnel and equipment involved in the work detailed on the permit has been removed from the permit working area. Only then, when the Site Manager/Supervisor and contractor are satisfied that it is safe, can there be a return to normal service.

- **Vehicles on site**

- The speed limit whilst on any school site is 5 mph
- All vehicles must be parked in accordance with designated parking areas, if you are unsure then ask at the reception or Site Manager/Caretaker.
- All contractors should be reminded that the primary school children can often become distracted and are not aware of the dangers of moving vehicles.
- Contractors must remain vigilant at all times.

Legionella control

The Health and Safety at Work etc. Act 1974 places a duty on employers to ensure health, safety and welfare of employees, so far as is reasonably practicable. In order to achieve compliance with legislation, it is essential that the Head Teacher who is the duty holder to ensure the following:

- **Identify and assess the sources of risk** for which employees, pupils or visitors may be exposed to within the academy. The assessment should include a survey to identify whether there are conditions present that will encourage bacteria growth this includes legionella.
- **Identify the hot and cold water temperatures** throughout the buildings water storage and distribution system to locate any systems or areas where water may be stored or distributed between 20-45 °C.
- **Identify all areas or services** capable of releasing an aerosol such as showers, spray taps and where necessary measures put in place to control the risks.
- **Identify whether there are susceptible individuals** present that may be exposed to such aerosols.

a) Managing risk

The following guidance should be followed:

- **Weekly tasks**

Weekly flushing of any outlets and showers that are infrequently used (less than once per week). Precautions should be taken to minimize aerosol release when implementing a flushing programme.

- **Monthly tasks**

Water temperatures should be recorded at the nearest and furthest outlets from the storage tanks and water heaters.

Water temperatures in the flow and return pipes to the water tanks should be monitored and recorded.

Hot water temperatures should be recorded from outlets after 1 minute of operation. Cold water should be tested after 2 minutes of operation.

A programme should be set to ensure that all the taps within the building are checked at least once, annually.

Quarterly

All showerheads and hoses should be dismantled, cleaned and descaled on a quarterly basis. This action should be recorded.

Six monthly

- The cold-water storage tanks should be inspected and temperatures recorded to cover storage, supply and distribution temperatures and general conditions.

Annually

- The condition of the tanks should be reviewed annually. Where the presence of organic material, vermin and water quality deterioration is identified etc. Remedial actions should be conducted. Where required a sample should be taken from the drain outlet.

b) Schools holidays, low occupancy periods. Six-week summer break

It is extremely important to manage the risk of legionella during school holidays and periods of low water usage or closures. Such times will provide the perfect opportunity for bacterial growth and proliferation including the growth of legionella within the academies water systems and services.

The following actions should be recorded:

- When the school is occupied but at a significantly lower capacity to normal then the outlets which are used less than once per week should be flushed weekly.
- When the school is not in use at all during the holiday periods outbuildings and sports halls/gyms etc.) Then all tanks, calorifiers and associated outlets should be thoroughly flushed prior to the commencement of the new term. This should be recorded. Water samples should also be considered for collection prior to the start of the new term.

Manual Handling Risk assessment

The responsible person, the Head Teacher or their delegated member of staff is responsible for the following:

- Manual handling risk assessments will be completed for moving loads that cannot be avoided.

- Information, instruction and training will be provided to employees wherever possible
- Wherever possible the load to be moved will be reduced e.g., is it possible to split the load into smaller units?
- Use appropriate equipment for reducing the need for manual handling; e.g., trolleys to eliminate/or reduce the risk of injury.

The following **guidelines** should not be exceeded and each individual must be aware of their own physical capabilities and should not attempt to move any object that is beyond their capabilities.

- **For men and women**

Force to stop or start the load **Men 20kg, Women 15kg**

Sustained force to **keep the load in motion Men 10kg, women 7kg**

- Manual handling problems often come from poor workplace environment or job design.
- Hazardous activities include:
 - Lifting heavy or awkward loads
 - Using excessive force
 - Repeated handling of heavy loads
 - Poor posture and twisting when handling

All employees must complete on-line manual handling training. This will be available to all staff on-line.

Display Screen Equipment

The Health and Safety (Display Screen Equipment) Regulations 1992 explains that the employer needs to protect employees from risks associated with DSE i.e., computers and laptops.

A user is defined in the regulations as “an employee who habitually uses display screen equipment as a significant part of his/her normal work”. This is usually interpreted as continuous period of an hour or more on most days of the week. The employee’s line manager will identify DSE users.

To comply with DSE regulations the ‘Responsible Person’ The Head Teacher or delegated member of staff must:

- Analyse workstations to assess and reduce risks
- Make sure controls are in place
- Providing information and training
- Providing eye and eyesight tests on request and special spectacles if needed
- Review the assessment when the user or DSE changes

All DSE users must complete on-line DSE training and assessment which will provide Workstation assessment and provide information and training.

a) Health risks with DSE

Some DSE users may experience fatigue, eyestrain, upper limb problems and backache from overuse or improper use of DSE. These problems can also be experienced from poorly designed workstations or work environments. The causes may not always be obvious and can be due to a number of factors.

Changes in activity may help users, the following is advised:

- Stretch and change position
- Look into the distance from time to time and blink often
- Change activity before you get tired rather to recover.
- Short frequent breaks are better than longer, infrequent ones.

b) Eye tests

Upon request of the DSE user, identified by their line manager, (see above) the academy will pay for a test to be carried by a qualified optician. Only "users" are entitled to receive corrective appliances paid for by the academy.

‘Normal’ corrective appliances are at the user’s own expense, but users needing ‘special’ corrective appliances will be prescribed a special pair of spectacles for display screen work only. The academy liability for the cost of these is restricted to payment of the cost of a basic appliance, i.e. of a type and quality adequate for the user’s work.

There is no evidence to suggest that DSE work will cause permanent damage to eyes or eyesight. Eye tests are provided to ensure users can comfortably see the screen and work effectively without visual fatigue.

Training and competence

The Health and Safety at Work etc. Act 1974 places a duty on the employer to provide information, instruction, training and supervision. All employees are required to cooperate with school leaders and the Kent Catholic Schools’ Partnership Trust in undertaking their legal duties.

The HSE’s describes competence as ‘the combination of training, skills, experience and knowledge that a person has and their ability to apply these to perform a task safely’. Other factors, such as attitude and physical ability, can also affect someone’s competence.

Someone’s level of competence only needs to be proportionate to their job and place of work. You would not need for example the same health and safety competence to work in an office as you would on a construction site.

The school will appoint competent people to assist them in meeting their health and safety duties.

Where members of staff do not have the necessary training to complete a task e.g., carrying out risk assessments, then appropriate training will be provided. Or it may be that manual handling training, or DSE training is required in order for someone to complete so far as is reasonable' their tasks in a safe manner.

The completion of mandatory on-line training for all staff is required and a record kept. (See details, below).

a) Health and Safety Inductions – new staff

All new employees of the school will complete a Health and Safety induction, this will be provided by their relevant line manager at the beginning of their employment (unless there are extenuating circumstances). Inductions must include:

- The location of the Health and Safety Law Poster (2009)
- Health and Safety responsibilities outlined in their job description.
- How they can access health and safety policies and information?
- Who can they talk to about any health and safety concerns or issues they may have?

First Aid provision

- First aid boxes
- First Aiders

Accident/Incident/Near Miss reporting

- Location of Accident/incident/near miss forms
- Reporting procedures

Fire and Emergency Procedures

- What to do in an emergency
- What does the fire alarm sound like e.g., continuous or intermittent sound?
- A walk around the fire escape routes, final fire exit doors and route(s)
- Location of assembly points

Welfare facilities

- Eating, drinking and rest arrangements
- Toilet facilities

Personal Protective Equipment (PPE)

- Relevant to the job – any PPE should be suitable and sufficient for the hazards

- identified in the risk assessment
- Who is responsible for ordering supplies of PPE?
- Safe storage of PPE

b) Health and Safety training – all employees

- Mandatory on-line training must be completed by all employees within eight weeks of their start of employment, this includes:
 - Fire awareness
 - COSHH Awareness
 - Manual Handling
 - Work at height (e.g., ladder, stepladders)
 - Slips, trips and falls
 - Health and Safety at Work

c) Health and Safety information and training records

• Health and Safety Induction

On completion of the health and safety induction, the employee will be required to sign the record form to say that they have been provided with, and understand the information provided.

Control of Substances Hazardous to Health (COSHH)

The Control of Substances Hazardous to Health Regulations 2002 requirements is to evaluate and control measures. All reasonable steps will be taken to, substitute substances for safer alternatives, as is reasonably practicable, and to ensure that employees, pupils, and visitors are not exposed to substances hazardous to health.

Using chemicals or other hazardous substances at work can put people's health at risk. Even within seemingly low risk environments people can encounter a range of substances capable of being hazardous to health.

a) Actions to evaluate and control risks include:


- Completing an inventory identifying all hazardous substances used on school premises and obtain material safety data sheets.
- Wherever possible replace hazardous substances with safer alternatives.
- A risk assessment is completed for the use of any substances, which present a significant health risk.
- Ensuring that any equipment required for controlling risk is being adequately maintained.
- Ensuring all staff have received information, instruction and training where required.
- Ensuring records of assessments are being kept on the premises and made available on request to any relevant people.

- Ensure that the exposure of personnel to substances hazardous to health is either prevented or adequately controlled.
- Ensure that any equipment provided to control the risk e.g., local exhaust ventilation; fume cupboards, personal protective equipment (PPE) is adequately maintained.

b) Hazard symbols and hazard pictograms

Classified substances can be identified by their warning labels and carry the pictograms detailed below.


You are probably already familiar with the current CHIP hazard symbols that appear on some chemical labels:



Old CHIP symbols (above)

1) Harmful, 2) explosive, 3) flammable, 4) toxic, 5) corrosive, 6) dangerous environment.

New CLP symbols include: 1) harmful, 2) corrosive, 3) flammable, 4) toxic, 5) corrosive, 6) dangerous environment. **Note:** the harmful symbol has been replaced by an exclamation mark.



There are also a couple of new pictograms, these symbolize:

Serious longer-term health hazards such as: 1) carcinogenic and respiratory sensitization, 2) contains gas under pressure.

1

2



Such substances may be hazardous through inhalation, ingestion, absorption or contact through the skin.

c) Material Safety Data Sheets

Should be obtained from the manufacturer/supplier. Data sheets are not by themselves a suitable and sufficient COSHH risk assessment. The information in the data sheet must be compared to the particular task and circumstances in which the substance is to be used and what decision was made about the measures necessary to adequately control exposure.

d) Health Surveillance

Health surveillance is only required in certain circumstances and is dependent on individual circumstances. Where there is a reasonable likelihood that an identifiable disease or adverse health effect associated with exposure will occur and the risk assessment shows that health surveillance is appropriate for the protection of employees these should be carried out.

- Records relating to named individuals must be kept for 40 years.
- Advice should be sought from Occupational Health if there is any uncertainty regarding the need for health surveillance.

e) Exceptions to COSHH Regulations

There are exceptions to these regulations, which are already being controlled by their own specific legislation, e.g., asbestos, lead, radioactive substances.

Gas Safety

The Gas Safety (Installation and Use) Regulations 1998 requires employers and self-employed persons to ensure that any gas appliance, installation, pipework or flue installed at any place of work under their control is maintained in a safe condition, so as to prevent risk of injury to any persons.

a) Competence

No person may work on gas fittings or appliances unless they are competent to do so. The requirements apply to both natural and liquefied petroleum gas (LPG). The work on gas fittings must be carried out by someone on the Gas Safe Register.

Although registration is deemed a basic indication of competence, it must be noted that not **all** engineers are qualified for **all** gas work. Registered engineers are issued with a unique license number and a photo identification card. The card will list specifically the types of work that the engineer is qualified to undertake. The School Business Manager or their delegated person must ensure that any contractor engaged to work on gas fittings is Gas Safe Registered and appropriately qualified for the work to be carried out.

You can check this by contacting the **Gas Safe Register online or by calling them on 0800 408 5500**

b) Gas work

Includes:

- The installation, repair or service of a gas boiler
- Installation or repair of a gas fire, gas cooker, hob or water heater.
- Any other work on heat producing appliances involving the gas supply pipework, flues, or combustion chambers if connected to either a natural gas or LPG supply.

c) Monitoring

The Gas Safe Register will periodically monitor the work undertaken by registered gas engineers to ensure that they understand and continue to work to the standards set out in legislation and in accordance with the rules of registration. They will also investigate complaints about unsafe gas work.

d) The basic requirements

The Head Teacher or their delegated employee will ensure:

- All gas systems and appliances are operated and maintained so as to prevent, as far as is reasonably, danger to persons or property.
- Only persons authorised to work on gas installations do so e.g., Gas Safe Registered engineers with the technical knowledge and experience to prevent injury, see above 'Competence'.
- Use a competent engineer to install, maintain or repair appliances
- Ensure that gas pipework, appliances and flues are regularly maintained
- Check all rooms with gas appliances have adequate ventilation – do not block air inlets to prevent draughts, and do not obstruct flues and chimneys.

e) If you suspect a gas leak

- Turn off the supply and immediately call the **National Gas Emergency Service on 0800 111 999** for natural gas.
- For LPG call the supplier if in doubt, evacuate the building and inform the police as well as the National Gas Emergency Service or your gas supplier.

- Do not turn a gas supply back on until a leak has been dealt with by a Gas Safe Registered engineer.

f) Maintenance

All gas appliances, flues; pipe work and safety devices will be maintained in a safe condition. The Head Teacher or their delegated person will ensure that they are inspected by a competent person who is a Gas Safe Registered engineer, in accordance with current industry practice. Periods between inspections may vary depending on the equipment and its use and should follow manufacturers recommendations. Annual inspections will be a minimum frequency.

- Equipment should be designed, operated and maintained to make sure dangerous levels of carbon monoxide (CO) are not produced.
- It should not be used in poorly ventilated spaces.
- There should be enough ventilation to remove combustion products.
- Operators are fully trained – use a safe procedure for purging, lighting up and shutting down.